Flow Measurement and Instrumentation

Index to Volume 5 (1994)

No 1 pp 1–64
No 2 pp 65–144
No 3 pp 145–224
No 4 pp 225–312

Article index

Number 1

Editorial 2
Fibre optic sensor system for void fraction measurement in aqueous two-phase fluids
J. W. Berthold, S. E. Reed and C. A. Nash 3
Gamma detectors for tomographic flow imaging
G. A. Johansen and T. Frøystein 15
Innovation strategies in the flow measuring industry: the cases of the UK, France and Belgium
H. Lawton Smith 23
Development of a metering system for total mass flow and compositional measurements of multiphase/multicomponent flows such as oil/water/air mixtures
C. Fischer 31
An experimental technique for performing 3D LDA measurements inside whirling annular seals
G. I. Morrison, M. C. Johnson, R. E. DeOtte, Jr, H. D. Thames III and B. G. Wiedner 43
Use of an optical meter to measure the flow rate and apparent viscosity of non-Newtonian fluids
J. Vorwerk, R. Steger, M. Teufel and P. O. Brunn 51
LDA system with both tracking and counting
E.-B. Li and S.-K. Wang 59

Number 2

Editorial 66
Legal metrology in Europe
B. Athane 67
Comparison of orifice and slotted plate flow meters
G. L. Morrison, K. Hall, J. Holst, M. Marek, L. Ihfe and R. E. DeOtte 71
Compact installations for differential flowmeters
E. M. Laws and A. K. Ouazzane 79
Upstream velocity profile effects upon orifice flowmeters
G. L. Morrison, K. Hall, J. Holst, M. Macek, L. Ihfe and R. E. DeOtte 87
Effects of pulsating flow on an ultrasonic gas flowmeter
E. Hakansson and J. Delsing 93
Solid state gas metering: the future
T. J. Sheppard 103
Domestic water metering technology
M. L. Sanderson 107
Product certification of the future
A. J. Nederlof 115
Gas turbine meters: standardization and operational experiences
P. M. A. van der Kam and S. De Jong 121
Application of clamp-on ultrasonic flowmeter for industrial flow measurements
J. M. Szebeszcyk 127
Total quality in the water industry – are managerial perceptions right?
R. S. Herne-Smith, M. L. Sanderson and H. Yeung 133
Conference Abstracts – Flow Measurements for the Utilities 141

Number 3

Calculation of the virtual current around an electromagnetic velocity probe using the alternating method of Schwarz
X. Z. Zhang and J. Hemp 146
A normal sensor hot-wire/film probe method for the analysis of three-dimensional flows
S. A. Sherif and R. H. Pletcher 150
Experimental investigation of spatial concentration spectra of a solid in a slurry in horizontal pipeline flow
J. K. Keska 155
Turbulence structure in a periodically diverging–converging channel flow
M. Sano and M. Shirakashi 164
The effect of aspect ratio on the near-field turbulent structure of elliptic jets
S. J. Lee and S. J. Baek 170
Pipeflow downstream of a reducer and its effects on flowmeters
T. T. Yeh and G. E. Mattingly 181
The analysis of uncertainties in the stage–discharge relation
R. Hershy 188
Application of a portable clamp-on ultrasonic flowmeter in the water industry
F. Cascetta 191
Phase-two focus anemometer for simultaneous measurement of particle velocity and particle size
B. Ruck, B. Pavloski and N. Semidetnov 195
A clamp-on ultrasound cross-correlation flowmeter for liquid/solid two-phase flow measurement
L. A. Xu, H. L. Yang, T. Zhang, W. Li, J. Chen and Z. M. Ran 203
Influence of upstream bends on the discharge coefficients of classical venturi tubes and orifice plates
U. Himpe, B. Gotte and M. Schatz 209
Weight vector for thermal diffusion flowmeters, Part 1: General theory
J. Hemp 217

Number 4

Editorial
H. Raszillier 227
Coriolis flowmeters: industrial practice and published information
R. C. Baker 229
The weight vector theory of Coriolis mass flowmeters
J. Hemp 247
Effect of detector masses on calibration of Coriolis flowmeters
U. Lange, A. Levien, T. Pankratz and H. Raszillier 255
Effect of pulsating flow on Coriolis mass flowmeters
G. Vetter and S. Notzon 263
Coriolis mass flow measurement of gas under normal conditions
K. Kolahi, H. Rock and Th. Gast 275
In situ calibration of Coriolis flowmeters for high-pressure gas flow calorimetry
P. G. Grini, H. S. Mæhlum and E. Brendeng 285
Behaviour of straight pipe Coriolis mass flowmeters in the metering of gas: theoretical predictions with experimental verification
N. M. Kéita 289
High-precision Coriolis mass flowmeter for bulk material two-phase flows
G. Dimaczek, H.-G. Fassbinder, A. Emmel and R. Kupfer 295
On-line viscosity measurement using Coriolis mass flowmeters
P. Kalotay 303
Index 309

Author Index

Athane, B 67

Baek, S J 170
Baker, R C 229
Berthold, J W 3
Brendeng, E 285
Brunn, P O 51
Buck, B 195

Cascetta, F 191
Chen, J 203

De Jong, S 121
DeOtte, R E 71, 87
DeOtte, Jr, R E 43
Delsing, J 93
Dimaczek, G 295

Emmel, A 295

Fassbinder, H-G 295
Fischer, C 31
Frøystein, T 15

Gast, Th 275
Gotte, B 209
Grini, P G 285

Hall, K 71, 87
Hemp, J 146, 217, 247
Herne-Smith, R S 133
Hershy, R 188
Himpe, U 209
Holst, J 71, 87
Hakansson, E 93

Ihfe, L 71, 87

Johansen, G A 15
Johnson, M C 43

Kalotay, P 303
van der Kam, P M A 121
Kéita, N M 284
Keska, J K 155
Kolahi, K 275
Kupfer, R 295

Lange, U 255
Laws, E M 79
Lawton Smith, H 23
Lee, S J 170
Levien, A 255
Li, E-B 59
Li, W 203

Macek, M 71, 87
Mæhlum, H S 285
Mattingley, G E 181
Morrison, G L 71, 87
Morrison, G I 43

Nash, C A 3
Nederlof, A J 115
Notzon, S 263

Ouazzane, A K 79

Pankratz, T 255
Pavloski, B 195
Pletcher, R H 150

Ran, Z M 203
Raszillier, H 255
Reed, S E 3
Rock, H 275

Sanderson, M L 107, 133
Sano, M 164
Schatz, M 209
Semidetnov, N 195
Sheppard, T J 103
Sherif, S A 150
Shirakashi, M 164
Steger, R 51
Szebeszcyk, J M 127

Teufel, M 51
Thames III, H D 43

Vetter, G 263
Vorwerk, J 51

Wang, S-K 59
Wiedner, B G 43

Xu, L A 203

Yang, H L 203
Yeh, T T 181
Yeung, H 133

Zhang, T 203
Zhang, X Z 146

Keyword Index

3D LDA
Whirling annular seals, Flow fields 43

Aspect ratio
Near-field turbulence, Elliptic jets 170

Bulk material
Coriolis mass flowmeter, Two-phase flow 295

Calibration
Coriolis flowmeter, Detector masses 255
Capillary tube
Coriolis flowmeters, Viscosity 303
Channel flow
Turbulence, Diverging-converging flow 164
Clamp-on
Portable, Ultrasonic flowmeter 191
Clamp-on transducers
Ultrasonic flowmeter, Transit time 127
Compositional measurement
Flow rate, Multiphase flow 31
Coriolis flowmeters
Industrial practice, Published information 229
Pulsating flow, Small flows 263
In situ calibration, Gas flow calorimetry 285
Viscosity, Capillary tube 303
Coriolis mass flow measurement
Gas, Torsional oscillations 275
Coriolis mass flowmeter
Weight vectors, Velocity profile effects 247
Straight pipes, Gas metering 284
Bulk material, Two-phase flow 295
Coriolis flowmeter
Detector masses, Calibration 255
Cross-correlation
Ultrasound, Two-phase flow 203

Detector masses
Coriolis flowmeter, Calibration 255
Discharge coefficients
Venturi tubes, Orifice plates 209
Diverging-converging flow
Turbulence, Channel flow 164
Domestic water metering
Fluid oscillator flowmeter, Electromagnetic sensing 107
Doppler burst counting
Laser Doppler anemometry, Frequency tracking 59

Electromagnetic sensing
Fluid oscillator flowmeter, Domestic water metering 107
Electromagnetic velocity probe
Virtual current, Schwarz's alternating method 146
Elliptic jets
Aspect ratio, Near-field turbulence 170
European Community
Product certification, Metrology 115

FLOMIC
Industrial competitiveness, Industry and academic links 23
Fibre optic
Void fraction, Two-phase fluids 3
Flow conditioner
Flow straightener, Installation effects 79
Flow fields
3D LDA, Whirling annular seals 43
Flow imaging
Process tomography, Gamma-ray detectors 15
Flow rate
Compositional measurement, Multiphase flow 31
Flow rate meter
Rheology, Laser Doppler anemometry (LDA) 51
Flow straightener
Flow conditioner, Installation effects 79
Flowmeters
Weight vector, Thermal diffusion 217
Fluid oscillator flowmeter
Domestic water metering, Electromagnetic sensing 107
Frequency tracking

Laser Doppler anemometry, Doppler burst counting 59
Future development
Solid state, Gas metering 103

Gamma-ray detectors
Process tomography, Flow imaging, 15
Gas
Coriolis mass flow measurement, Torsional oscillations 275
Gas flow calorimetry
In situ calibration, Coriolis flowmeters 285
Gas flowmeter
Pulsating flow, Ultrasonic 93
Gas metering
Solid state, Future development 103
Coriolis mass flowmeter, Straight pipes 284
Gas turbine meters
Standardization, Recalibration 121

Harmonization
Legal metrology, OIML 67
Hot wire/film probes
Normal sensors, Three-dimensional flows 150

***In situ* calibration**
Coriolis flowmeters, Gas flow calorimetry 285
Industrial competitiveness
FLOMIC, Industry and academic links 23
Industrial practice
Coriolis flowmeters, Published information 229
Industry and academic links
Industrial competitiveness, FLOMIC 23
Insertion metering
Quality, UK water industry 133
Installation effects
Flow straightener, Flow conditioner 79

Laser Doppler anemometry
Frequency tracking, Doppler burst counting 59
Laser Doppler anemometry (LDA)
Rheology, Flow rate meter 51
Laser Doppler velocimetry
Orifice meters, Pipeflow profile 181
Laser-two-focus system
Time-of-flight anemometer, Simultaneous measurements of particle size 195
Legal metrology
OIML, Harmonization 67
Liquid–solid mixtures
Spatial concentration spectra, Slurry flow 155

Metrology
Product certification, European Community 115
Multiphase flow
Compositional measurement, Flow rate 31

Near-field turbulence
Aspect ratio, Elliptic jets 170
Normal sensors
Hot wire/film probes, Three-dimensional flows 150

OIML
Legal metrology, Harmonization 67
Orifice flowmeters
Slotted orifice plate, Velocity profile 71
Velocity profiles, Swirl 87
Orifice meters
Pipeflow profile, Laser Doppler velocimetry 181
Orifice plates
Discharge coefficients, Venturi tubes 209

Pipeflow profile
Orifice meters, Laser Doppler velocimetry 181
Portable
Clamp-on, Ultrasonic flowmeter 191
Process tomography
Flow imaging, Gamma-ray detectors 15
Product certification
Metrology, European Community 115
Published information
Coriolis flowmeters, Industrial practice 229
Pulsating flow
Ultrasonic, Gas flowmeter 93
Coriolis flowmeters, Small flows 263

Quality
UK water industry, Insertion metering 133

Recalibration
Gas turbine meters, Standardization 121
Rheology
Laser Doppler anemometry (LDA), Flow rate meter 51

Schwarz's alternating method
Electromagnetic velocity probe, Virtual current 146
Simultaneous measurements of particle size and velocity
Time-of-flight anemometer, Laser-two-focus system 195
Slotted orifice plate
Orifice flowmeters, Velocity profile 71
Slurry flow
Spatial concentration spectra, Liquid–solid mixtures 155
Small flows
Pulsating flow, Coriolis flowmeters 263
Solid state
Gas metering, Future development 103
Spatial concentration spectra
Slurry flow, Liquid–solid mixtures 155
Stage-discharge relation
Streamflow station, Uncertainty 188
Standardization
Gas turbine meters, Recalibration 121
Straight pipes
Coriolis mass flowmeter, Gas metering 284
Streamflow station
Uncertainty,Stage-discharge relation 188
Swirl
Orifice flowmeters, Velocity profiles 87

Thermal diffusion
Weight vector, Flowmeters 217
Three-dimensional flows
Hot wire/film probes, Normal sensors 150
Time-of-flight anemometer
Laser-two-focus system, Simultaneous measurements of particle size 195
Torsional oscillations
Coriolis mass flow measurement, Gas 275
Transit time
Ultrasonic flowmeter, Clamp-on transducers 127
Turbulence
Diverging-converging flow, Channel flow 164
Two-phase flow
Ultrasound, Cross-correlation 203
Coriolis mass flowmeter, Bulk material 295
Two-phase fluids
Fibre optic, Void fraction 3

UK water industry
Quality, Insertion metering 133
Ultrasonic flowmeter
Clamp-on transducers, Transit time 127
Portable, Clamp-on 191
Ultrasound
Cross-correlation, Two-phase flow 203
Uncertainty
Streamflow station, Stage-discharge relation 188

Velocity profile
Orifice flowmeters, Slotted orifice plate 71
Velocity profile effects
Weight vectors, Coriolis mass flowmeter 247
Velocity profiles
Orifice flowmeters, Swirl 87
Venturi tubes
Discharge coefficients, Orifice plates 209
Virtual current
Electromagnetic velocity probe, Schwarz's alternating method 146
Viscosity
Coriolis flowmeters, Capillary tube 303

Void fraction
Fibre optic, Two-phase fluids 3

Weight vector
Thermal diffusion, Flowmeters 217

Weight vectors
Coriolis mass flowmeter, Velocity profile effects 247

Whirling annular seals
3D LDA, Flow fields 43

REPRINTS

We offer a reprints service in respect of all articles in this journal.

Companies: an article featuring your product or a new application provides its readers with an independent authoritative comment. Reprints can be used by you to inform and educate your customers and staff about scientific or technical advances in subjects relevant to your business. They are a cost-effective, ethical way of promoting your company and its products.

For a quotation on your reprint requirements, please contact:

The Reprints Department, Butterworth-Heinemann Ltd., Linacre House, Jordan Hill, Oxford, OX2 8DP. Tel: +44 (0)865 310366. Fax: +44 (0)865 314519

BUTTERWORTH HEINEMANN